

MAP1 Modular Access Panel

ONE PANEL, *THREE SOLUTIONS!*



ACCESS CONTROL AS A SERVICE

- 100,000 users - 1024 readers
- Subscription based
- No software to install
- Managed via browser from anywhere

cansec.com/cloudlock



CLIENT-SERVER SOFTWARE

- 100,000 users - 1024 readers
- Windows based
- Up to 10 First Access clients
- Automatic panel discovery

cansec.com/fa



EMBEDDED WEB SERVER


- 5,000 users - 4 readers
- No software to install
- Built-in web server
- Managed via browser

cansec.com/webster

Cutting edge simplicity®

 cansec.com  +1 (877) 545-7755  sales@cansec.com

EXPLORE WHAT'S INSIDE



SIGN UP FOR A DETEX TRAINING SESSION.

Grab your screwdriver and get the inside view of some of the industry's best life safety and security door hardware. Detex security solutions are made to function flawlessly in the most extreme applications. But don't take our word for it. Come dig into our hardware and see for yourself at one of our training sessions.

For a complete list of our training sessions, visit www.detex.com/training or call 800-729-3839.

Where Trust is Built™

DETEX®
Life Safety, Security and Security Assurance



SmartLock Single-Door Add-On Kit

- Includes:*
- 1 SmartLock controller
 - 1 SmartLock enclosure
 - 1 power supply board with plug-in transformer

CNCA-SLPKCP1P Smartlock Sgl Door Add-On Kit



SmartLock Single-Door Starter Kit

- Includes:*
- 1 SmartLock controller
 - 1 SmartLock enclosure
 - 1 power supply board with plug-in transformer
 - 1 CanProx One HID/AWID reader
 - 1 CLAUSB
 - 5 125 kHz HID-compatible cards
 - SmartLock Pro Plus software Free Download

CNCA-SLPSKCP1P Smartlock Sgl Door Starter Kit



SmartLock Single-Door IP Starterc Kit

- Includes:*
- 3 SmartLock controllers
 - 1 SmartLock enclosure
 - 1 power supply board with plug-in transformer
 - 3 CanProx One HID/AWID readers
 - 1 CLAUSB
 - 10 125 kHz HID-compatible cards
 - SmartLock Pro Plus software Free Download

CNCA-SLPSKCP1PN Smartlock Sgl Door IP Starter



CNCA-CP1R CANPROX ONE Multi-Mount Prox



CanLan II Network Communications Device

- RS-485 to TCP/IP communications device.
- Includes plug-in power supply, UTP jack, and RS-485 output.
- Static IP is required.

CNCA-CANLAN2 Network Communications Device



CLAUSB Serial Communications Device

- RS-485 to USB Converter.
- Supports up to 30 SmartLock Pro Plus controllers.

CNCA-CLAUSB USB Serial Communications Dev



SmartLock® Enclosure

- 241 mm x 330 mm x 76 mm [9.5 in x 13 in x 3 in] metal enclosure with room for 1, 2 or 3 SmartLock Pro Plus controllers, Cansec power supply and 12V 7AH battery.
- Now comes with key lock and CanLan2 mounting location.

CNCA-SLBOX SmartLock Enclosure



SmartLock® Pro Plus Controllert

- Supports a single door with Entry and Exit readers and up to 4800 users. Provides relay outputs for lock control, handicap door operator, and door-held-open/forced entry.
- Supports inputs for request-to-exit and door contact.
- All controller terminations are on detachable headers for ease of installation and service.
- Self-resetting fuses. Buffers up to 1,000 transactions.
- Requires 12 VDC. Includes push-in stand-offs.

CNCA-SLPCNPP SmartLock Sgl Door Controller



CNCA-PS123A

Power Supply Board W/ Onboard



CanProx Thin Proximity Card

• Slot punched with Cansec logo (.030" thick)

CNCA-CP2BT-H37

Canprox Card HID 37-BIT



CanProx Key II

• Extra thin fob-style credential
• Attaches to key ring with brass eyelet

CNCA-CP2KT-H37

Canprox Key II HID 37-BIT